



Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ALFADIESEL SAE 15W40

UFI: KWP0-A08N-1003-HWT6

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture: Lubricant

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Aegean Oil S.A 10, Akti Kondyli,

Piraeus, Greece, 185 45 Tel: (+30) 210 4586000 Fax: (+30) 210 4586244

E-mail: sales-lubes@aegeanoil.gr **1.4 Emergency telephone number:**



European Emergency Tel.: 112

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation EC No 1272/2008 CLP:



GHS07

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling according to Regulation EC No 1272/2008 CLP:

The product is classified and labelled according to the CLP regulation.

Hazard pictograms:



GHS07

Signal word: Warning

Hazard-determining components of labelling:

Benzenesulfonic acid, methyl-, mono-C20-26-branched alkyl derivs., calcium salts

(Contd. on page 2)





Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 1)

Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs., calcium salts

Hazard statements:

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

P102 Keep out of reach of children.
P261 Avoid breathing mist/vapours/spray.

P280 Wear protective gloves / eye protection / face protection. P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture: consisting of the following components.

Ingredients according Regulation (EU) 2020/878:		
CAS: 147880-09-9	Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one	≥2.5-≤10%
EC number: 604-611-9	-9 and succinic anhydride monopolyisobutenyl derivs	
	Aquatic Chronic 4, H413	
CAS: 722503-69-7	Benzenesulfonic acid, methyl-, mono-C20-26-branched alkyl derivs.,	≥1-≤2.5%
EC number: 682-812-0	L	
	Skin Sens. 1B, H317; Aquatic Chronic 4, H413	
CAS: 68784-31-6	Phosphorodithioic acid, mixed O,O-bis(sec-Bu and 1,3-dimethylbutyl)	≥1-<2.5%
EINECS: 272-238-5	esters, zinc salts	
	Eye Dam. 1, H318; 🔖 Aquatic Chronic 2, H411	
CAS: 722503-68-6	Benzenesulfonic acid, methyl-, mono-C20-24-branched alkyl derivs.,	≥0.1-<1%
EC number: 682-816-2	calcium salts	
	Skin Sens. 1B, H317; Aquatic Chronic 4, H413	

Additional information:

The base oils of the product contain <3% DMSO extract (IP 346).

In accordance with Regulation (EC) No 1272/2008, Note L, reference IP 346/92: 'Dimethyl sulfoxide (DMSO) extraction method', it was determined that the base oils used in this preparation are not carcinogenic. For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

EN



Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information:

Take affected persons out into the fresh air.

In all cases call a doctor

After inhalation:

If breathing is difficult, remove to fresh air. Restore breathing. Keep warm and quiet.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Wash the skin immediately with soap and water.

Remove contaminated clothing.

In case of skin irritation, consult a physician.

After eye contact:

Rinse opened eye for at least 15 minutes under running water.

Remove contact lenses and continue rinsing for several minutes

If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Seek immediate medical advice.

Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

Foam

Sand or soil

5.2 Special hazards arising from the substance or mixture

In a fire it is possible to release nitrogen oxides (NOx), carbon monoxide (CO), carbon dioxide (CO2) & sulphur dioxide (SO2).

5.3 Advice for firefighters

Protective equipment:

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

Wear eye protection.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

EN



Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

Avoid inhalation of vapors.

Avoid contact with skin and eves.

Ensure adequate ventilation.

6.1.1 For non-emergency personnel

Use personal protective equipment.

Avoid contact with dripping or leaking material

6.1.2 For emergency responders

First-aid responders must wear protectice clothing, gloves, goggles and respiratory device with filter type A.

6.2 Environmental precautions: Prevent the product from entering sewers, rivers or the aquatic environment.

6.3 Methods and material for containment and cleaning up:

Caution for slippery surfaces

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

Dispose contaminated material as waste according to item 13.

6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Observe the general safety regulations when handling chemicals.

Avoid contact with skin, eyes and clothing.

Avoid inhaling vapors.

Ensure adequate ventilation

Do not eat, drink or smoke during the usage of the product.

Wash hands before each break and after finishing work.

Wash contaminated clothing before reuse.

Information about fire - and explosion protection:





Keep ignition sources away - Do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

Requirements to be met by storerooms and receptacles: Store in a cool location.

Information about storage in one common storage facility: Store away from oxidising agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

Keep away from children

(Contd. on page 5)





Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 4)

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

8.2 Exposure controls

8.2.1. Appropriate engineering controls Provide adequate ventilation.

Individual protection measures, such as personal protective equipment General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash contaminated clothes before reusing them.

Avoid contact with skin and eyes.

Do not breathe vapours or mists.

Wash hands before breaks and at the end of work.

Do not eat, drink or smoke while using the product.

Respiratory protection:



In conditions of inadequate ventilation, use an appropriate respirator.

Hand protection



Protective gloves resistant to chemicals (standard EN 374-1)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 6)





Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 5)

Eye/face protection



Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:



Chemically resistant protective clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Liquid

Colour: Light-coloured to brown Characteristic of lubricants

Odour threshold:Not determinedMelting point/freezing point:Not determined

Boiling point or initial boiling point and boiling

rangeNot determinedFlammabilityNot applicable

Lower and upper explosion limit

Lower:
Upper:
Not determined
Not determined

Flash point:
238 °C (ASTM D-92)
Not Flammable

Auto-ignition temperature:

Decomposition temperature:

PH

Not determined

Not determined

Not determined

Viscosity:

Kinematic viscosity at 40 °C 108.8 mm²/s (ISO 3104)

Dynamic: Not determined

Solubility

water:
Partition coefficient n-octanol/water (log value)
Vapour pressure:
Not miscible
Not determined
Not determined

Density and/or relative density

Density at 20 °C: 0.873 g/cm³ (ASTM - 1298)

Relative density Vapour densityNot determined
Not determined

(Contd. on page 7)



Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 6)

9.2 Other information

Appearance:

Form: Liquid

Important information on protection of health and

environment, and on safety.

Auto-ignition temperature: Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Void

Void

Drip point:

Explosives

Pour point -30 °C (ASTM D-6892)

Cloud point / clarification point:

Oxidising properties Not oxidising
Evaporation rate Not determined

Information with regard to physical hazard classes

Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void Void **Pyrophoric solids Self-heating substances and mixtures** Void Substances and mixtures, which emit flammable Void gases in contact with water **Oxidising liquids** Void **Oxidising solids** Void **Organic peroxides** Void Void **Corrosive to metals**

SECTION 10: Stability and reactivity

Desensitised explosives

- 10.1 Reactivity Stable under normal conditions
- 10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided

No decomposition if used and stored according to specifications.

Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** Avoid heat, sparkles, naked flame or other sources of ignition.
- 10.5 Incompatible materials Oxidizing agents

(Contd. on page 8)



Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 7)

10.6 Hazardous decomposition products

In a fire nitrogen oxides (NOx), carbon monoxide (CO), sulfur dioxide (SO2) can be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Causes serious eye irritation.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information:

Repeated dose toxicity Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation

Do not discharge to the environment and drains.

(Contd. on page 9)





Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 8)



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact manufacturer for recycling information.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information			
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Not classified as dangerous for transport. Void		
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void		
14.3 Transport hazard class(es)			
ADR, ADN, IMDG, IATA Class	Void		
14.4 Packing group ADR, IMDG, IATA	Void		
14.5 Environmental hazards:	Not applicable.		
14.6 Special precautions for user	Not applicable.		
14.7 Maritime transport in bulk according to IMO instruments Not applicable.			
UN "Model Regulation":	Void		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note L applies. DMSO content is below 3% (IP 346).

REACH Regulation 1907/2006/EC

Regulation (EU) 2020/878

CLP Regulation 1272/2008/EC

Directive 98/24/EC on the protection of health and safety of workers from the risks related to chemicals agents at work.

Council Directive 94/33/EC on the protection of young people at work, as ammended.

(Contd. on page 10)





Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 9)

Directive 92/85/EEC on the introduction of measures to encourage improvements in the safety and health at work of pregnant workers and workers who have recently given birth or are breastfeeding, as ammended

Directive 2012/18/EU

Named dangerous substances - ANNEX I Substance is not listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Training hints

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

(Contd. on page 11)





Printing date 24.03.2023 Version number 3 (replaces version 2) Revision: 24.03.2023

Trade name: ALFADIESEL SAE 15W40

(Contd. of page 10)

Classification according to Regulation (EC) No 1272/2008

Skin sensitisation

Serious eye damage/irritation The classification of the mixture is generally based on the calculation method using substance data according to Regulation (EC) No 1272/2008.

Department issuing SDS:

снем

SUST SUSTCHEM S.A.

REACH & Chemical Services Department

A: 144, 3rd Septemyriou, GR 112 51 | Athens, Greece

T: +30 210 8252510 | F: +30 210 8252575 W: www.sustchem.gr | E: info@suschem.gr

Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.

EN