

Printing date 11.01.2016

Version number 1

Revision: 11.01.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifier**

Trade name: ALFAMAR 430

1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.Application of the substance / the mixture: Lubricant

1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Aegean
10, Akti Kondyli,
Piraeus, Greece, 185 45
Tel: (+30) 210 4586000
Fax: (+30) 210 4586244
E-mail: technical@aegeanlubes.com
1.4 Emergency telephone number:



Emergency telephone number: 112

# **SECTION 2: Hazards identification**

2.1 Classification of the substance or mixture Classification according to Regulation EC No 1272/2008 CLP:



Skin Sens. 1 H317 May cause an allergic skin reaction.

# 2.2 Label elements

**Labelling according to Regulation EC No 1272/2008 CLP:** The product is classified and labelled according to the CLP regulation. **Hazard pictograms:** 



Signal word: Warning

# Hazard-determining components of labelling:

Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivs., calcium salts (2:1)

### Hazard statements:

H317 May cause an allergic skin reaction.

## **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

GB

Printing date 11.01.2016 Trade name: ALFAMAR 430

> P102 Keep out of reach of children. P280 Wear protective gloves/protective clothing/eye protection/face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. 2.3 Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

# 3.2 Chemical characterisation: Mixtures

**Description:** Lubricant

### **Ingredients:**

Benzoic acid, hydroxy-, mono-C20-28-branched alkyl derivs., calcium salts (2:1) 1-≤2.5% Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 4, H413

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### **General information:**

Take affected persons out into the fresh air.

Seek immediate medical advice.

After inhalation: Seek medical treatment in case of complaints.

#### After skin contact:

Immediately wash with water and soap and rinse thoroughly.

Remove contaminated clothing. If skin irritation continues, consult a doctor.

#### After eye contact:

Rinse opened eye for at least 15 minutes under running water.

If symptoms persist, consult a doctor.

Avoid strong water jet-risk of cornea damage, consult a doctor.

#### After swallowing:

Do not induce vomiting. Drink plenty of water and provide fresh air. Call for a doctor immediately. Seek immediate medical advice. Never give anything by mouth to an unconscious person.

# 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.



Version number 1

Revision: 11.01.2016

(Contd. of page 1)

Printing date 11.01.2016

Version number 1

Revision: 11.01.2016

Trade name: ALFAMAR 430

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray.

Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture

In case of fire, the following can be released:

Carbon monoxide (CO)

Carbon dioxide (CO2)

### 5.3 Advice for firefighters

**Protective equipment:** Self contained breathing apparatus and full protective clothing must be worn in case of fire. **Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

## **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures:

Wear protective equipment. Keep unprotected persons away.

### 6.1.1 For non-emergency personnel

Keep away from ignition sources. Avoid contact with skin and eyes. Caution for slippery surfaces.

#### **6.1.2** For emergency responders

Use safety goggles, in case of contact with the eyes.

Use chemicals resistant gloves.

Use antistatic and slip resistant boots.

Stop further leakage, if possible.

### **6.2 Environmental precautions:**

Prevent product from entering sewers, rivers or other bodies of water. Note: solidified product may clog drains and sewers.

Prevent from spreading.

### 6.3 Methods and material for containment and cleaning up:

If necessary dike the product with earth, sand or similar non-combustible materials.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust, silica gel).

#### 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Observe the general safety regulations when handling chemicals.

Avoid contact with skin, eyes and clothing.

Information about fire - and explosion protection: Keep away from sources of ignition and flammable materials.

(Contd. on page 4)

Printing date 11.01.2016

Version number 1

Revision: 11.01.2016

Trade name: ALFAMAR 430

(Contd. of page 3)

### 7.2 Conditions for safe storage, including any incompatibilities

Storage: Store in cool, dry conditions in well sealed receptacles.

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Protect from heat and direct sunlight.

7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### 8.2 Exposure controls

## Personal protective equipment

General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection: Not required.

### **Protection of hands:**



Protective gloves

### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

### Penetration time of glove material

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

Eye protection: In processing and repackaging where is possible the eye-contact wear safety glasses.

Body protection: Oil resistant protective clothing

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic phy	visical and chemical properties	
<b>General Information</b>		
Appearance:		
Form:	Liquid	
Colour:	Light-coloured to brown	
Odour:	Characteristic of lubricants	
Odour threshold:	Not determined	
pH value:	Not determined	
		(Contd. on page 5)

GB —

rinting date 11.01.2016	Version number 1	Revision: 11.01.201
<b>`rade name:</b> ALFAMAR 430		
		(Contd. of page 4
Melting point/Melting range:	Not determined	
<b>Boiling point/Boiling range:</b>	Not determined	
Pour point	-12 °C ( ASTM D97)	
Flash point:	226 °C ( ASTM D92)	
Flammability (solid, gaseous):	Not applicable	
Auto-ignition temperature:	Not determined	
Decomposition temperature:	Not determined	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard	
Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidising properties	Not considered as oxidising.	
Vapour pressure:	Not determined	
Density at 15 °C:	0.904 g/cm <sup>3</sup> ( ASTM D1298)	
Relative density	Not determined	
Vapour density	Not determined	
Evaporation rate	Not determined	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ater): Not determined	
Viscosity:		
Dynamic:	Not determined	
Kinematic at 40 °C:	146 mm <sup>2</sup> /s ( ASTM D445)	
9.2 Other information	No further relevant information available.	

## **SECTION 10: Stability and reactivity**

10.1 Reactivity Stable under normal conditions

10.2 Chemical stability Material is stable under normal conditions.

Thermal decomposition / conditions to be avoided Stable at environment temperature.

10.3 Possibility of hazardous reactions No dangerous reactions known.

**10.4 Conditions to avoid** 

Heat, flames and othe sources of ignition.

Oxidising agents

10.5 Incompatible materials No further relevant information available.

10.6 Hazardous decomposition products No dangerous decomposition products known.

GB

Printing date 11.01.2016

Version number 1

Revision: 11.01.2016

(Contd. of page 5)

Trade name: ALFAMAR 430

## **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

Acute toxicity Based on available data, the classification criteria are not met.

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

### CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

### 12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods Recommendation



Dispose according to National Regulations.



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

# Uncleaned packaging:

#### **Recommendation:**

Disposal must be made according to official regulations.

nting date 11.01.2016	Version number 1	Revision: 11.01.20
rade name: ALFAMAR 430		
Packaging may be reused or recycled after c	leaning.	(Contd. of page
SECTION 14: Transport information		
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user	Not applicable.	
14.7 Transport in bulk according to A	nnex II of	
Marpol and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH Regulation 1907/2006/EC Regulation (EU) 2015/830 CLP Regulation 1272/2008/EC Constituents of the mixture that fall within the scope of REACH Regulation 1907/2006/EC, have been (pre)-registered from their suppliers.

Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed.

National regulations:

### Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)



Printing date 11.01.2016

Version number 1

Revision: 11.01.2016

Trade name: ALFAMAR 430

(Contd. of page 7)

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H413 May cause long lasting harmful effects to aquatic life.

### **Training hints**

Suitable training on safety in handling, storing and converting the product should be given to the employees based on all the existing information.

#### **Department issuing MSDS:**

SustChem

SUSTCHEM Engineering Ltd REACH & Chemical Services Department 144, 3rd Septemvriou, GR 112 51, Athens, Greece Tel.: +30 210 8252510 Fax: +30 210 8252575 E-mail: info@suschem.gr Website: www.sustchem.gr

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

EINECS: European Inventory of Existing Commercial Cher

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4